**NOTES AND SCHEDAE TO LICHENES
DELICATI EXSICCATI EDITAE
IN MEMORIAM ANTONÍN VĚZDA (1920–2008), FASC. 5**

E. FARKAS

*Institute of Ecology and Botany, MTA Centre for Ecological Research, H-2163 Vácrátót,
Alkotmány u. 2–4, Hungary; E-mail: farkas.edit@okologia.mta.hu*

(Received 5 November 2019; Accepted 10 December 2019)

Lichenes *Delicati Exsiccati Editae* of little, fine, special lichens is edited in honour of Antonín Vězda (1920–2008). The fifth fascicle of the exsiccate is consisted of 20 species of lichens and lichenicolous fungi and distributed to 12 lichen herbaria of the world. Collectors are K. Buaruang, D. Kalb, K. Kalb, G. E. Lee, L. Lőkös, A. Mertens, W. Polyiam, T. Pócs, W. Saipunkaew, D. Tang, N. Varga and E. Farkas.

Key words: exsiccate, lichenicolous fungi, lichens

INTRODUCTION

The current exsiccate series was initiated in 2010 to honour and express our gratitude to the late Dr Antonín Vězda (1920–2008), the Moravian lichenologist, – our Toni – on the occasion of the 90th anniversary of his birth (Farkas 2010). The contributions for the first fascicle were so rich that it became obvious very soon that LDEE will not remain as a single fascicle, but it needs continuation and so the second, third and fourth fascicle were published (Farkas 2011, 2014*a*, *b*) with 60 numbers until now. A new goal became outlined gradually – the numbers of the exsiccate is now planned to reach 100 by the time Toni would celebrate his 100th birthday, thus in 2020 two further fascicles are going to be edited and published, the present fifth fascicle and the forthcoming sixth fascicle, both with 20–20 numbers of species. Keeping the original idea – distributing delicate lichens and lichenicolous fungi – further collectors were invited for the following fascicles.

Among lichens of the current fifth fascicle there are more corticolous (7) and foliicolous (5) species, only some of them are saxicolous (3), terricolous (1), lignicolous (1) or muscicolous (1). Two representatives of lichenicolous fungi were also collected. The lichens and lichenicolous fungi originate from Europe (Bulgaria – 5, Portugal – 1, Romania – 5, Serbia – 1, Slovakia – 1, Sweden – 1), Africa (Tanzania – 1), Asia (Malaysia – 2, Thailand – 1) and Australia (2). Several specimens were collected in the Călimani National Park, Romania during field trips organised by the project “CRYPTIC: CRYPTogams’ Traits In

the Carpathians" (NKFI K119208), two of them in Mt Reșița near the meteorological station (Figs 1–2). Bulgarian sites were visited by the support of our Bulgarian–Hungarian academic cooperation. The National Nature Reserve Ostrov Kopáč was visited together with Anna Guttová and Anna Lackovičová on the occasion of a joint field trip in the framework of our Slovakian–Hungarian academic cooperation (Fig. 3).

The contributors are collectors and determinators in alphabetical order: E. Farkas (Vácrátót, Hungary), K. Buaruang (Bangkok, Thailand), D. and K. Kalb (Neumarkt, Germany), G. E. Lee (Malaysia), L. Lőkös (Budapest, Hungary), R. Lücking (Berlin, Germany), A. Mertens (Pfaffenhofen, Germany), W. Polyiam (Bangkok, Thailand), T. Pócs (Eger, Hungary), W. Saipunkaew (Chiang Mai, Thailand), D. Tang (Malaysia), N. Varga (Vácrátót, Hungary). TLC and HPTLC analyses were carried out by E. Farkas, K. Kalb, N. Varga and K. Veres.

The 20 specimens of the fifth fascicle have been distributed to the following 12 herbaria (for herbarium acronyms see Index Herbariorum online

Fig. 1. Collecting *Brodoa atrofusca* in the Călimani National Park, Romania, in Mt Reșița near the meteorological station

Fig. 2. *Lepraria neglecta*, collected in the Călimani National Park, Mt Reșițiș, Romania, near the meteorological station

Fig. 3. Nóra Varga, Anna Lackovičová and Anna Guttová in the National Nature Reserve Ostrov Kopáč, Slovakia, habitat of *Clypeococcum hypocenomyces*

(Thiers 2019)): 1. BM = London, United Kingdom; 2. BP = Budapest, Hungary; 3. F = Chicago, USA; 4. hb. Flakus = Kraków, Poland; 5. hb. Kalb = Neumarkt, Germany; 6. HO = Hobart, Tasmania/Australia; 7. KRAM = Kraków, Poland; 8. PRA-V = Průhonice, Czech Republic; 9. SAV = Bratislava, Slovakia; 10. STU = Stuttgart, Germany; 11. UPS = Uppsala, Sweden; 12. VBI = Vácrátót, Hungary. Specimens of incomplete sets have been presented to some other herbaria.

Schedae containing names of species, their authors with further annotations, collecting data and remarks (e.g. chemical content) are listed below.

EDIT FARKAS: LICHENES DELICATI EXSICCATI EDITAE

In memoriam Antonín Vězda (1920–2008)

Fasc. 5 (No. 61–80)

Spring 2020

61. *Bacidia fraxinea* Lönnr.

in *Flora*, Jena **41**: 612, 1858.

BULGARIA. Burgas Province, Malko Tarnovo Municipality, Strandzha Mts, Dokuzak stream at Sredoka reserve near Stoilovo village, on bark (*Salix*).

Lat.: 42° 00' 59.37" N; **Long.:** 27° 30' 20.24" E

Alt.: ca 260 m s. m.

Leg.: L. Lőkös

Dat.: 7 June 2009

Det.: L. Lőkös

62. *Brodoa atrofusca* (Schaer.) Goward

in *The Bryologist* **89**(3): 222, 1987. – Basionym: *Parmelia ceratophylla* var. *atrofusca* Schaer., *Enum. critic. lich. europ.* (Bern): 42, 1850.

ROMANIA. Suceava County, Șaru Dornei commune, Gura Haitii, Călimani Mts, Călimani National Park, Mt Rețiș near the meteorological station, on siliceous rock.

Lat.: 47° 05' 50.00" N; **Long.:** 25° 14' 34.61" E

Alt.: ca 1,990 m s. m.

Leg.: E. Farkas and L. Lőkös

Dat.: 30 July 2018

Det.: E. Farkas and L. Lőkös

Atranorin, physodic acid, protocetraric acid present (HPTLC: E. Farkas and K. Veres, 2018).

Brodoa Goward, *Bryologist* **89**(3): 222, 1987; named after the Canadian lichenologist Irwin M. Brodo (born 1935), who is the author of the book *Lichens of North America* (Brodo *et al.* 2001); owner of the Acharius Medal donated by IAL (1994).

63. *Calicium tigillare* (Ach.) Pers.

in *Ann. Wetter. Gesellsch. Ges. Naturk.* **2**: 14, 1811. – Basionym: *Lichen tigillaris* Ach., *Lich. suec. prodr.*, Linköping: 67, 1799. – Synonym: *Cyphelium tigillare* (Ach.) Ach., in *K. Vetensk-Acad. Nya Handl.* **3**: 261, 1815.

ROMANIA. Harghita County, Toplița municipality, Călimani Mts, near Vf. Alb, ca 13 km SW of Drăgoiasa, along the forest road, on lignum.

Lat.: 47° 05' 34.78" N; **Long.:** 25° 18' 14.44" E

Alt.: ca 1,550 m s. m.

Leg.: E. Farkas and L. Lőkös

Dat.: 30 July 2018

Det.: E. Farkas and L. Lőkös

Epanorin, rhizocarpic acid present (HPTLC: E. Farkas and K. Veres, 2018).

64. *Calopadia fusca* (Müll. Arg.) Vězda

in *Folia geobot. phytotax.* **21**(2): 215, 1986. – Basionym: *Lopadium fuscum* Müll. Arg., *Flora, Regensburg* **64**(7): 108, 1881.

AUSTRALIA. Queensland, Atherton Tableland, foothills of Mount Lewis, Jullatten between Mount Molloy and Mossman, Kingfisher Lodge; in a very disturbed remnant of a tropical rainforest. On leaves.

Lat.: 16° 35' 44" S; **Long.:** 145° 20' 23" E

Alt.: ca 420 m s. m.

Leg.: K. and D. Kalb 41168

Dat.: 23–24 August 2008

Det.: K. Kalb; **Conf.:** R. Lücking

65. *Canoparmelia texana* (Tuck.) Elix et Hale

in Elix, Johnston and Verdon, *Mycotaxon* **27**: 279, 1986. – Basionym: *Parmelia texana* Tuck., *Amer. J. Sci. Arts, Ser. 2*, **25**: 424, 1858.

TANZANIA. Morogoro District, S Uluguru Mts, along the road, 1 km E of Chenzema village. Open granitic rocks in Nyambutwa valley near the falls.

Alt.: ca 1,700 m s. m.

Leg.: T. Pócs 88260/V

Dat.: 27 October 1988

Det.: E. Farkas and L. Lőkös

Atranorin, divaricatic acid, nordivaricatic acid present (HPTLC: E. Farkas and K. Veres, 2019).

66. *Chaenotheca phaeocephala* (Turner) Th. Fr.

in *Ann. Bot. (Usteri)* **7**: 20, 1794. – Basionym: *Lichen phaeocephalus* Turner, *Trans. Linn. Soc., London* **9**: 260, 1808.

SWEDEN. Östergötland province. Vadstena parish, on bark (*Tilia*).

Lat.: 58° 27' 05.6" N; **Long.:** 14° 53' 29.9" E

Alt.: ca 97 m s. m.

Leg.: E. Farkas and N. Varga

Dat.: 13 August 2013

Det.: E. Farkas and N. Varga

67. *Clypeococcum hypocenomycis* D. Hawksw.

in *Notes R. bot. Gdn Edinb.* 38(1): 167, 1980.

SLOVAKIA. Podunajská nížina lowland, Bratislava, National Nature Reserve Ostrov Kopáč. Parasitic on the thallus of *Hypocenomyce scalaris* on a burnt pine stump.

Lat.: 48° 05' 37.6" N; **Long.:** 17° 09' 43.1" E

Alt.: ca 124 m s. m.

Leg.: E. Farkas and N. Varga

Dat.: 14 November 2013

Det.: N. Varga

68. *Coenogonium subluteum* (Rehm) Kalb et Lücking

in Lücking and Kalb, *Bot. Jb.* 122(1): 34, 2000. – Basionym: *Biatorina sublutea* Rehm, *Philipp. J. Sci., C, Bot.* 8(5): 404, 1913.

MALAYSIA. Kelantan, Tok Bali Bay, near the estuary, 3 km ENE of Pasir Puteh District Council. On leaves in swamp forest.

Lat.: 05° 51' 08" N; **Long.:** 102° 26' 20" E

Alt.: ca 2–3 m s. m.

Leg.: T. Pócs, G. E. Lee, D. Tang, 13185

Dat.: 8 November 2013

Det.: E. Farkas

69. *Haematomma nemetzii* J. Steiner

in *Denkschr. Kaiserl. Akad. Wiss. Wien, Math.-Naturwiss. Kl.* 68: 230, tab. I, fig. 4a-c, 1899.

BULGARIA. Haskovo Province, Madzharovo Municipality, Eastern Rhodope Mts, E side of 'Momina Skala', at Arda river near Madzharovo, rocky area near an abandoned mine, on acidic rocks.

Lat.: 41° 38' 23.25" N; **Long.:** 25° 50' 50.31" E

Alt.: ca 170 m s. m.

Leg.: N. Varga and L. Lőkös

Dat.: 13 June 2019

Det.: E. Farkas

Atranorin, psoromic acid and porphyrilic acid present (HPTLC: E. Farkas and K. Veres, 2019).

70. *Lecanactis abietina* (Ach.) Körb.

in *Syst. lich. germ.* Breslau: 275, 1855. – Basionym: *Lichen abietinus* Ach., *K. Vetensk-Acad. Nya Handl.* **16**(3): 139, 1795.

ROMANIA. Suceava County, Poiana Stampei commune, along the trail in the peat-bog ‘Tinovul Mare’ at Căsoi, on bark of *Picea abies*.

Lat.: 47° 17' 40.38" N; **Long.:** 25° 07' 10.59" E

Alt.: ca 920 m s. m.

Leg.: L. Lőkös

Dat.: 12 August 2019

Det.: E. Farkas and L. Lőkös

Lecanoric acid, schizopeltic acid present (HPTLC: E. Farkas and K. Veres, 2019).

71. *Lepraria neglecta* (Nyl.) Erichsen

in *Flechtenfl. Nordwestdeutschl.:* 394, 1957. – Basionym: *Lecidea neglecta* Nyl., *Ann. Sci. Nat. Bot.* **11**: 233, 1859.

ROMANIA. Suceava County, Șaru Dornei commune, Gura Haitii, Călimani Mts, Călimani National Park, Mt Reșițiș near the meteorological station, on bryophytes on siliceous rock.

Lat.: 47° 05' 50.00" N; **Long.:** 25° 14' 34.61" E

Alt.: ca 1,990 m s. m.

Leg.: E. Farkas and L. Lőkös

Dat.: 30 July 2018

Det.: E. Farkas and L. Lőkös

Alectorialic acid, angardianic/roccellic acid present (HPTLC: E. Farkas and N. Varga, 2019).

72. *Micarea prasina* Fr.

in *Syst. orb. veg.*, Lund, **1**: 256, 1825.

BULGARIA. Kardzhali Province, Kirkovo Municipality, Eastern Rhodope Mts, near Yakovitza, along a forest road in pine forest, on bark of *Pinus nigra*.

Lat.: 41° 18' 31.39" N; **Long.:** 25° 15' 07.40" E

Alt.: ca 750 m s. m.

Leg.: L. Lőkös and N. Varga

Dat.: 17 June 2019

Det.: E. Farkas and L. Lőkös

73. *Myriostigma candidum* Kremp.

in *Lich. Foliic. Leg. Beccari*: 22, 1874 [as ‘*candidum*’]. – Synonym: *Cryptothecia candida* (Kremp.) R. Sant., *Symb. bot. upsal.* **12**(1): 65, 1952.

MALAYSIA. Borneo Island, Sabah, Kota Kinabalu, Lok Kawi Wildlife Park *ca* 25 km SSW of Kota Kinabalu, in remnants of a secondary rainforest. On leaves.

Lat.: 05° 50' 39" N; **Long.:** 116° 04' 00" E

Alt.: *ca* 30 m s. m.

Leg.: K. Kalb and A. Mertens 41166

Dat.: 7 August 2014

Det.: K. Kalb; **Conf.:** R. Lücking

The type specimen of this species was collected by O. Beccari on Sarawak, Borneo Island in 1866, Beccari 224aa (M – lectotype, designated by Lücking *et al.*, *Lichenologist* **38**(3): 236, 2002).

74. *Ochrolechia arborea* (Kreyer) Almb.

in *Bot. Notiser*: 254, 1949. – Basionym: *Variolaria lactea* f. *arborea* Kreyer, *Acta Horti Petropolit.* **31**: 321, tab. I, fig. 16–17, 1913.

ROMANIA. Suceava County, Poiana Stampei commune, along the trail in the peat-bog 'Tinovul Mare' at Căsoi, on *Alnus* bark.

Lat.: 47° 18' 03.65" N; **Long.:** 25° 06' 43.88" E

Alt.: *ca* 910 m s. m.

Leg.: L. Lőkös

Dat.: 6 August 2019

Det.: E. Farkas and L. Lőkös

75. *Placynthisella uliginosa* (Schrad.) J. R. Laundon

in *Lichenologist* **16**(3): 245, 1984. – Basionym: *Lichen uliginosus* Schrad., *Spicil. fl. germ.* **1**: 88, 1794.

BULGARIA. Haskovo Province, Ivaylovgrad Municipality, Eastern Rhodope Mts, along the road 5906 near Kazak, acidophilous grassland area with scattered oak trees, on *Quercus* bark.

Lat.: 41° 24' 45.89" N; **Long.:** 25° 53' 09.93" E

Alt.: *ca* 385 m s. m.

Leg.: L. Lőkös and N. Varga

Dat.: 15 June 2019

Det.: E. Farkas and L. Lőkös

76. *Plectocarpon lichenum* (Sommerf.) D. Hawksw.

in Hawksworth and Galloway, *Lichenologist* **16**(1): 86, 1984. – Basionym: *Dothidea lichenum* Sommerf., *Suppl. Fl. lapp.*, Oslo: 224, 1826.

SERBIA. Pirot District, Crni Vrh, Jabučko Ravnište, Stara Planina Mts, near ski tracks at Hotel Stara Planina, in a beech forest. On the thalli of *Lobaria pulmonaria* growing on the bark of an old *Fagus sylvatica*.

Lat.: 43° 21' 50.08" N; **Long.:** 22° 35' 23.02" E

Alt.: *ca* 1,515 m s. m.

Leg.: N. Varga and L. Lőkös

Dat.: 22 June 2019

Det.: N. Varga

77. *Tapellaria epiphylla* (Müll. Arg.) R. Sant.

in Thorold, J. *Ecol.* **40**: 129, 1952. – Basionym: *Lopadium epiphyllum* Müll. Arg., *Flora*, Regensburg **64**(7): 107, 1881.

PORTUGAL. Madeira Island, Municipality Santana, along the Leveda do Furado ca 3 km from Ribeiro Frio towards Portela (EMC17 excursion “2”). On leaves in laurel forest dominated by *Laurus novocanariensis*, *Clethra arborea*, *Ocotea foetens*, *Persea indica*.

Lat.: 32° 44' 07.44" N; **Long.:** 16° 51' 56.88" W

Alt.: ca 820 m s. m.

Leg.: N. Varga

Dat.: 23 September 2015

Det.: E. Farkas

78. *Tephromela alectoronica* Kalb

in Türk, John and Hauck (eds), *Sauteria* **15**: 243, 2008.

AUSTRALIA. Queensland, Eungella, ca 60 km of Mackay, surrounding of Broken River Lodge, Rainforest Discovery Walk in a tropical rainforest. On bark.

Lat.: 21° 10' 03" S; **Long.:** 148° 30' 14" E

Alt.: ca 700 m s. m.

Leg.: K. and D. Kalb 40620

Dat.: 13 August 2015

Det.: K. Kalb

Atranorin, alectoronic acid present (TLC: K. Kalb, 2015).

79. *Trichothelium bipindense* F. Schill.

in *Hedwigia* **67**: 278, 1927.

THAILAND. Chiang Mai province, Lumphun, Mae On, ESE of Chiang Mai, descent from Doi Mon Larn to Mae Kam Pong village, in an evergreen mountain forest dominated by *Lithocarpus*, *Quercus*, *Castanopsis*. On leaves.

Lat.: 18° 51' 22" N; **Long.:** 99° 22' 02" E

Alt.: ca 1,500 m s. m.

Leg.: K. Kalb, W. Saipunkaew (Om) and K. Buaruang (Nhong) and W. Polyiam (Pod) 41167

Dat.: 19 March 2008

Det.: K. Kalb; **Conf.:** R. Lücking

80. *Vahliella leucophaea* (Vahl) P. M. Jørg.

in *Lichenologist* **40**(3): 224, 2008. – Basionym: *Lichen leucophaeus* Vahl, *Icon. Plant. Dan.* **6**(16): 8, 1787.

BULGARIA. Kardzhali Province, Krumovgrad Municipality, Eastern Rhodope Mts, along the road (no. 5906) between Kazak and Chernichevo, on acid soil at road bank.

Lat.: 41° 21' 49.39" N; **Long.:** 25° 50' 08.14" E

Alt.: ca 650 m s. m.

Leg.: N. Varga and L. Lőkös

Dat.: 15 June 2019

Det.: L. Lőkös

*

Acknowledgements – The author is grateful to all contributors (whose names are mentioned above in the text) without whom the compilation of the exsiccate would not have been possible. The work was supported by various projects of the Hungarian Scientific Research Fund (OTKA T047160, K81232), of the Hungarian and Slovakian Academies of Sciences (Mobility project SNK40/2013), of the Hungarian and Bulgarian Academies of Sciences (Mobility project NKM47/2019) and of the Hungarian National Research Development and Innovation Fund (NKFI K124341, NKFI K119208).

REFERENCES

- Brodo, I. M., Sharnoff, S. D. and Sharnoff, S. (2001): *Lichens of North America*. – Yale University Press, New Haven & London, 795 pp.
- Farkas, E. (2010): Notes and schedae to Lichenes Delicati Exsiccati Editae in memoriam Antonín Vězda (1920–2008), fasc. 1. – *Acta Bot. Hung.* **52**(3–4): 331–340.
- Farkas, E. (2011): Notes and schedae to Lichenes Delicati Exsiccati Editae in memoriam Antonín Vězda (1920–2008), fasc. 2. – *Acta Bot. Hung.* **53**(1–2): 101–109.
- Farkas, E. (2014a): Notes and schedae to Lichenes Delicati Exsiccati Editae in memoriam Antonín Vězda (1920–2008), fasc. 3. – *Acta Bot. Hung.* **56**(1–2): 69–76.
- Farkas, E. (2014b): Notes and schedae to Lichenes Delicati Exsiccati Editae in memoriam Antonín Vězda (1920–2008), fasc. 4. – *Acta Bot. Hung.* **56**(3–4): 305–317.
- Thiers, B. (2019): *Index Herbariorum: A global directory of public herbaria and associated staff*. New York Botanical Garden's Virtual Herbarium. – <http://sweetgum.nybg.org/ih/>

Open Access statement. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited, a link to the CC License is provided, and changes – if any – are indicated. (SID_1)